



#9 Drawing  
Changes  
10/8/02

Patent  
Attorney's Docket No. 017750-546

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of )  
Randall J. Muravez ) Group Art Unit: 3662  
Application No.: 09/955,151 ) Examiner: B. Gregory  
Filed: September 19, 2001 ) Confirmation No.: 8307  
For: SYSTEM AND METHOD FOR )  
PERIODICALLY ADAPTIVE )  
GUIDANCE AND CONTROL )

RECEIVED  
OCT 04 2002  
GROUP 3600

REQUEST FOR APPROVAL OF DRAWING CHANGES

Assistant Commissioner for Patents  
Washington, D.C. 20231


Sir:


The Examiner's approval is respectfully requested for the proposed changes to Figure 5 shown in red ink on the accompanying copy, wherein a negative sign has been placed before the term C<sub>4</sub>.

Upon approval of this Request, the changes will be implemented by the submission of corrected drawings.

Respectfully submitted,

BURNS, DOANE, SWECKER & MATHIS, L.L.P.

By:   
Stephen W. Palan  
Registration No. 43,420

  
P.O. Box 1404  
Alexandria, Virginia 22313-1404  
(703) 836-6620

Date: October 3, 2002




Figure 5

improved.  
ger